be:basic offer

DB 103 be:basic

: product card



Products withdrawn from the offer with extended lead time. Available only while stock lasts.

design:

bejot:

Product website website link



collection advantages

t echnical data DB 103 be:basic	Standard Option	
Mechanism		
Synchro and self-weighing-the spring force automatically adapts to the weight of the sitting person, range of adjustable recline angle(backrest:20°,seat:5°), with an adjustable seat depth (range: 58mm)	B+X	•
Fast-synchro with backrest fixed in 4 positions (range of recline angle: backrest: 20°, seat: 8°)	FS	0
Fast-synchro with backrest fixed in 4 positions (range of recline angle: backrest: 20°, seat: 8°), with seat depth adjustment (range: 58mm)	FS+X	0
Synchro mechanism with the backrest fixed in 4 positions (adjustable recline: backseat: 22°, seat: 13°), with an adjustable seat depth	M+X	0
Base		
Black nylon 5-star base reinforced with glass fiber Ø 700	18	•
Polished aluminium 5-star base (chrome effect) Ø 690	22	С
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 690	23	C
Powder coated aluminium 5-star base (colors according to Bejot sampler book) Ø 700 SB	33	C
Powder coated black aluminum 5-star base Ø 700 SBF Flexi (enabling 3D movement)	35	C
The backrest		
Black mash CLASSIC (66% poliester, 34% poliamid)	M08	•
Light grey mesh CLASSIC (66% poliester, 34% poliamid)	M09	С
Armrests		
Without arms		•
Armrests adjustable up and down (range: 80 mm) with a soft cover plus:		
const. nylon black/thermo polyurethane armpad (TPU) fully recycling	P48B	C
const. polished aluminium (chrome effect)/thermo polyurethane armpad (TPU) fully recycling	P48C	C
const. nylon black/armpad PU adjustment width. (range 30 mm) and front-back (range 50 mm)	P52B	C
black construction, soft polyurethane (TPC) pad, adjustable front-back (range 50 mm) and sideways (range +/-30°), additional armrests width adjustment (range 38mm)	P60B	C
Additional adjustment		
Height adjustment of the lumbar support (range 50 mm)		•
Adjustable lumbar support depth (range: 15 mm)	BLS	
Castors		
Hard castors for soft floors Ø 65 with auto-brake	DEMA	•
Soft castors for hard floors Ø 65 with auto-brake	DEMAD	

Headrest


Adjustable up and down (range: 65 mm) and at an angle (42° recline angle)/upholstered with black leather

Adjustable up and down (range: 65 mm) and at an angle (42° recline angle)/upholstered with fabric

Product available while stocks last

dimensions

DB 103 be:basic



- A seat height: overall dimensions
- B seat height: measured according to the norm PN EN 1335 1
- C chair height adjustment
- D backrest height adjustment
- E headrest height adjustment
- F dimensional width chair / base
- G seat width
- H backrest width
- width between armrests
- K armrest height adjustment
- L backrest lenght
- M dimensional chair depth
- N seat depth adjustment / seat lenght

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

materials available for collection

1st price group Bond, Fenno, Keimo, Sawana

2nd price group Alaska, Alpa, Charles, Charles - Studio Design, Cura, Era - Studio Design, Pastel, Roccia, Valencia

3rd price group Ally, Ally SD, Alpa-Studio Design, Blazer, Cura SD, Oceanic, Rhythm, Silvertex , Silvertex - Studio Design, Synergy,

Synergy - Studio Design, Valencia - Studio Design

4th price group Heritage, Oceanic-Studio Design, Remix - Studio Design

5th price group Steelcut Trio 3
Leather Leather

Membrane Kyos, Momo, Milla

Metal - powder coated, Metal ALU/chrom







