



treehouse THS 1T G1

privacy guarantee

Treehouse allows users to isolate themselves from most outside sounds, providing discretion and security.

People talking and working in the booths are not heard outside and do not disturb the rest of the employees.

THS 1T G1 / technical data

● Standard ○ Option

Base

Powder coated metal frame, colors (structure): white, black, graphite 7024S
 Toughened, transparent glass, combined with acoustic foil
 Ventilation system coupled with motion detector. Black ventilation grate.
 Acoustic seals
 Built-in transport wheels for easy relocation of the booth

Floor

Dark gray felt floor covering (V50)
 Oak plank - natural color (O1)
 Oak plank - black coloring (O3)

External wooden panels

Oak plank - natural color (O1)
 Oak plank - black coloring (O3)

Tabletop

Laminated board (colors according to Bejot sampler book)
 Finger joint solid oak wood (colors according to Bejot sampler book)
 Mediaport mounted in an upholstered shelf
 Round PIX mediaport (black-B) - 1 voltage socket 230 V
 Round PIX mediaport (black-B) - 2 x USB charger

[type]1V
 M1CC

Lighting

Lamp with motion detector (powered by 12V)

Additional equipment

Induction charger mounted in the table top
 Air purifier (capacity up to 6.5 m³/h) - [more information](#)
 Black tablet / phone stand (an integral part of the tabletop)

IC
 DIS
 TS

Description


without seats / external upholstered panels / front glass
 without seats / external wooden panels / front glass
 hoker / external upholstered panels / front glass
 hoker / external wooden panels / front glass
 without seats / external upholstered panels / front and back glass
 without seats / external wooden panels / front and back glass
 hoker / external upholstered panels / front and back glass
 hoker / external wooden panels / front and back glass

Code
 THS 1T G1
 THS 1T G1 W
 THS 1S G1
 THS 1S G1 W
 THS 1T G2
 THS 1T G2 W
 THS 1S G2
 THS 1S G2 W


THS 1T G1 / dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.


H height: overall dimensions
W width: overall dimensions
L length: overall dimensions




THS 1S G1 / THS 1T G1 / THS 1S G1 W / THS 1T G1 W / THS 1S G2 / THS 1T G2 / THS 1S G2 W / THS 1T G2 W




cardboard box
H: 1128
L: 2434
W: 892


 kg	THS 1S G1	THS 1T G1	THS W 1S G1	THS W 1T G1	THS 1S G2	THS 1T G2	THS W 1S G2	THS W 1T G2
net weight	305	295	320	310	355	325	350	340
gross weight	360	350	375	365	410	380	405	395




THS 1 TG2 / THSW 1 TG2



THS 1 TG1 / THSW 1 TG1



THS 1 SG2 / THSW 1 SG2



THS 1 SG1 / THSW 1 SG1